


**Dust Monitoring
MAROOTA Site 1
Maroota Public School**


	Insoluble solids	Ash	Total solids
July 16	2.16	0.88	2.65
August	6.86	1.59	7.18
September	1.80	1.32	3.88
October	2.13	1.20	4.22
November	3.09	1.96	5.01
December	1.89	1.36	5.63
January	3.90	1.95	7.87
February	2.00	1.20	3.29
March	1.79	0.84	4.26
April	2.18	1.12	4.50
May	3.05	1.48	4.56
June	1.63	0.91	2.58
July 17	2.88	1.53	4.98



* NSW-EPA - Approved Methods and Guidance- For the Modelling and Assessment of Air Pollutants in New South Wales - AUGUST 2005 (pg 28)

**Dust Monitoring
MAROOTA Site 2
Hitchcock Road**


	Insoluble solids	Ash	Total solids
July 16	3.43	1.23	4.34
August	3.03	1.81	8.06
September	2.44	1.41	4.39
October	1.89	1.18	4.09
November	3.43	2.09	5.02
December	1.92	1.59	6.02
January	5.03	2.48	12.17
February	4.13	2.57	7.19
March	0.81	0.43	1.66
April	2.40	1.42	4.43
May	2.13	1.16	2.63
June	2.16	1.42	3.02
July 17	3.14	1.61	4.59



* NSW-EPA - Approved Methods and Guidance- For the Modelling and Assessment of Air Pollutants in New South Wales - AUGUST 2005 (pg 28)

Dust Monitoring
MAROOTA Site 3
Jurd's House

	Insoluble solids	Ash	Total solids
July 16	2.72	1.22	4.20
August	9.82	2.64	11.68
September	5.50	2.41	9.35
October	3.55	2.01	5.70
November	3.64	2.2	5.92
December	2.91	2.06	6.77
January	4.49	2.45	7.57
February	2.12	1.58	3.57
March	1.43	0.71	2.90
April	1.75	1.36	4.30
May	2.84	1.55	4.02
June	3.32	2.10	5.94
July 17	6.96	3.09	13.04



* NSW-EPA - Approved Methods and Guidance- For the Modelling and Assessment of Air Pollutants in New South Wales - AUGUST 2005 (pg 28)